

APPENDIX D

NESTING BIRDS FOUND IN THE SAG HARBOR VILLAGE AREA

spotted sandpiper (*Actitis macularia*)
red-winged blackbird (*Agelaius phoeniceus*)
wood duck (*Aix sponsa*)
sharp-tailed sparrow (*Ammodramus caudacutus*)
seaside sparrow (*Ammodramus maritimus*)
American wigeon* (*Anas americana*) PB
green-winged teal (*Anas crecca*)
blue-winged teal (*Anas discors*)
mallard (*Anas platyrhynchos*)
mallard x American black duck (*Anas platyrhynchos x rubripes*)
American black duck (*Anas rubripes*)
gadwall (*Anas strepera*)
ruby-throated hummingbird* (*Archilocus colubris*) PrB
cedar waxwing* (*Bombycilla cedrorum*) CB
Canada goose (*Branta canadensis*)
great horned owl* (*Bubo virginianus*) PB
cattle egret (*Bubulcus ibis*)
red tailed hawk* (*Buteo jamaicensis*) CB
broad winged hawk* (*Buteo platypterus*) PB
green-backed heron (*Butorides striatus*)
whip-poor-will* (*Caprimulgus vociferus*) PrB
northern cardinal* (*Cardinalis cardinalis*) CB
American goldfinch* (*Carduelis tristis*) PrB
house finch* (*Carpodacus mexicanus*) CB
purple finch* (*Carpodacus purpureus*) PrB
great egret (*Casmerodius albus*)
veery* (*Catharus fuscescens*) PB
willet (*Catoptrophorus semipalmatus*)
belted kingfisher (*Ceryle alcyon*)
chimney swift* (*Chaetura pelagica*) PrB
piping plover (*Charadrius melodus*)
killdeer* (*Charadrius vociferous*) CB
northern harrier (*Circus cyaneus*)
marsh wren (*Cistothorus palustris*)
yellow billed cuckoo* (*Coccyzus americanus*) PrB
black billed cuckoo* (*Coccyzus erythrophthalmus*) PrB
northern harrier* (*Colaptes auratus*) CB
northern bobwhite* (*Colinus virginianus*) CB
rock dove* (*Columba livia*) CB
eastern wood-pewee* (*Contopus virens*) PrB
American crow* (*Corvus brachyrhynchos*) CB
fish crow (*Corvus ossifragus*)
blue jay* (*Cyanocitta cristata*) CB
mute swan (*Cygnus olor*)
prairie warbler* (*Dendroica discolor*) PrB
chestnut-sided warbler* (*Dendroica pensylvanica*) PB
yellow warbler* (*Dendroica petechia*) CB

pine warbler* (*Dendroica pinus*) CB
 grey catbird* (*Dumetella carolinensis*) CB
 little blue heron (*Egretta caerulea*)
 snowy egret (*Egretta thula*)
 acadian flycatcher* (*Empidonax vireescens*) CB
 horned lark (*Eremophila alpestris*)
 American kestrel* (*Falco sparverius*) CB
 common moorhen (*Gallinula chloropus*)
 common yellowthroat* (*Geothlypis trichas*) CB
 American oystercatcher (*Haematopus palliatus*)
 barn swallow* (*Hirundo rustica*) CB
 wood thrush* (*Hylocichla mustelina*) CB
 northern oriole* (*Icterus galbula*) CB
 least bittern (*Ixobrychus exilis*)
 herring gull (*Larus argentatus*)
 great black-backed gull (*Larus marinus*)
 red-bellied woodpecker* (*Melanerpes carolinus*) PB
 song sparrow* (*Melospiza melodia*) CB
 red-breasted merganser (*Mergus serrator*)
 northern mockingbird* (*Mimus polyglottos*) CB
 black and white warbler* (*Mniotilta varia*) PrB
 brown-headed cowbird* (*Molothrus ater*) PrB
 great crested flycatcher* (*Myiarchus crinitus*) CB
 black-crowned night-heron (*Nycticorax nycticorax*)
 eastern screech owl* (*Otus asio*) PrB
 ruddy duck (*Oxyura jamaicensis*)
 black capped chickadee* (*Parus atricapillus*) CB
 tufted titmouse* (*Parus bicolor*) CB
 house sparrow* (*Passer domesticus*) CB
 indigo bunting* (*Passerina cyanea*) PrB
 savannah sparrow (*Passerculus sandwichensis*)
 osprey (*Pandion haliaetus*)
 double-crested cormorant (*Phalacrocorax auritus*)
 ring necked pheasant* (*Phasianus colchicus*) CB
 rosebreasted grosbeak* (*Pheucticus ludovicianus*) PrB
 downy woodpecker* (*Picoides pubescens*) CB
 hairy woodpecker* (*Picoides villosus*) CB
 rufous-sided towhee* (*Pipilo erythrophthalmus*) CB
 scarlet tanager* (*Piranga olivacea*) PrB
 glossy ibis (*Plegadis falcinellus*)
 pied-billed grebe (*Podilymbus podiceps*)
 blue-grey gnatcatcher* (*Poliotilta caerulea*) CB
 common grackle* (*Quiscalus quiscula*) CB
 Virginia rail (*Rallus limicola*)
 clapper rail (*Rallus longirostris*)
 bank swallow (*Riparia riparia*)
 black skimmer (*Rynchops niger*)
 eastern phoebe* (*Sayornis phoebe*) PrB
 American woodcock* (*Scolopax minor*) CB
 Ovenbird* (*Seiurus aurocapillus*) PrB
 chipping sparrow* (*Spizella passerina*) CB

field sparrow* (*Spizella pusilla*) CB
American redstart* (*Setophaga ruticilla*) CB
eastern bluebird* (*Sialia sialis*) PB
red-breasted nuthatch* (*Sitta canadensis*) PB
white-breasted nuthatch* (*Sitta carolinensis*) CB
northern rough-winged swallow (*Stelgidopteryx serripennis*)
least tern (*Sterna antillarum*)
roseate tern (*Sterna dougllii*)
common tern (*Sterna hirundo*)
European starling* (*Sturnus vulgaris*) CB
tree swallow (*Tachycineta bicolor*)
Carolina wren* (*Thyothorus ludovicianus*) CB
brown thrasher* (*Toxostoma rufum*) CB
house wren* (*Troglodytes aedon*) CB
American robin* (*Turdus migratorius*) CB
eastern kingbird* (*Tyrannus tyrannus*) CB
blue winged warbler* (*Vermivora pinus*) PrB
white eyed vireo* (*Vireo griseus*) PB
red eyed vireo* (*Vireo olivaceus*) CB
mourning dove* (*Zenaida macroura*) CB

* From *The Atlas of Breeding Birds in NY State*. eds. Robert F. Andrie and Janet R. Carroll. c 1988. Cornell University Press.

PB = possible breeding

PrB = probable breeding

CB = confirmed breeding